

SECRETARIA DE DEFESA AGROPECUÁRIA (SDA)

SECRETARY OF AGRICULTURAL PROTECTION (SAP)

INTRUÇÃO NORMATIVA (NI) Nº 16, DE 26 DE AGOSTO DE 2015NORMATIVE INSTRUCTION Nº 16, OF AUGUST 26th, 2015

The SECRETARY OF AGRICULTURAL PROTECTION, MINISTRY OF AGRICULTURE, LIVESTOCK AND SUPPLY, exercising the powers conferred upon him by Arts 13 and 45 from Annex I, Decree No. 8.492, July 13th 2015, in view of the provisions from Legislative Decree No. 885, August 30th 2005, Legislative Decree nº 30, December 15th 1994, Decree nº 5.759, April 17 2006, Decree nº 1.355, December 30th 1994, Decree nº 24.114, April 12th 1934, Normative Instruction nº 23, August 2nd 2004, Normative Instruction nº 6, May 16th 2005, Normative Instruction nº 52, November 20th 2007, Normative Instruction nº 41, July 1st 2008, and the provisions from Process No. 21000.011978/2010-57, decides to:

Art. 1º To establish the phytosanitary requirements for the import of seeds of different species and countries, intended for propagation, listed in Annexes I to XLVIII of this Normative Instruction.

Art. 2º Shipments of products specified in the 1º of this Normative Instruction must be accompanied by Phytosanitary Certificate – CF or Phytosanitary Certificate for Re-export – CFR, issued by the National Plant Protection Organization – NPPO of the exporting country, including the Additional Declarations (ADs) specified at Annexes I to XLVIII, when required.

§1º The Additional Declarations (ADs) of Annexes I to XLVIII of this Normative Instruction are defined as:

I - AD1: The shipment is free of (pest or pests);

II - AD2: The shipment was treated with (specify product, dosage or concentration, temperature and period of exposure) to controlling the (pest or pests);

III - AD5: The (crop, nursery, seedplot and production area) were submitted to official inspection during (time lenght) and it was not detected the pest(s);

IV - AD7: The (basic products) were produced in an area recognized as free of pest by the NPPO of importation country, in accordance with ISPM Nº 4, FAO;

V - AD15: The shipment is free of (pest or pests) according to outcome of the official analysis of laboratory no. (provide analysis number).

§2º The Additional Declarations indicated in these article will be required starting 18 (eighteen) months from the date of this Normative Instruction publication.

Art. 3º Seeds of *Gossypium* spp. shall go through the process of chemical delinting and this condition shall be specified in the Phytosanitary Certificate – PC.

Art. 4º The shipments shall be packed in new packages, first-use, and free from soil material, vegetable residues and seeds of quarantine weeds absent in the Brazil as defined in specified normative.

Art. 5º Consignments of imported seeds, referred at art. 1º of this Normative Instruction, will be inspected at the point of entry (Phytosanitary Inspection – PI) and will have samples collected and sent to phytosanitary analysis in official or accredited laboratories, or for quarantine analysis in accredited quarantine stations.

Sole paragraph. The required expenses to send the samples, as well the analysis costs, shall be borne by the owner, which will be responsible by the rest of the consignment and cannot sell nor plant the product until the analysis conclusions and issuance of its respective release reports by the plant protection technical area.

Art. 6º In case of interception of any regulated pest, in the imported shipments mentioned in art. 2º of this Normative Instruction, shall be adopted the repulse, re-export or destruction procedures, provided by the Decree No. 24114, April 12th 1934, and the required expense of these procedures shall be borne by the owner.

Sole paragraph. In case of interception, the NPPO of origin country will be notified and the Brazilian NPPO may suspend the importations.

Art. 7º In case of non-compliance with the requirements established in this Normative Instruction, the product will not be internalized.

Art. 8º This Normative Instruction shall enter into force on the date of its publication.

Art. 9º This Normative Instruction revokes SAP Normative Instruction nº 36, December 30th 2010, and the SAP Normative Instruction nº 9, June 5th 2015.

DÉCIO COUTINHO

ANNEX I

Country of Origin: South Africa

Crop Scientific Name	Pest Scientific Name	Requirements
<i>Allium cepa</i>	<i>Ditylenchus dipsaci</i>	DA5 or DA15
<i>Allium fistulosum</i>		DA not required
<i>Allium porrum</i>		DA not required
<i>Allium schoenoprasum</i>		DA not required
<i>Brassica campestris</i> var. <i>pekinensis</i>	<i>Colletotrichum higginsianum</i>	DA5 or DA15
<i>Brassica oleracea</i> var. <i>botrytis</i>	<i>Colletotrichum higginsianum</i>	DA5 or DA15
	<i>Xanthomonas campestris</i> pv. <i>aberrans</i>	DA5 or DA15
<i>Brassica oleracea</i> var. <i>capitata</i>	<i>Colletotrichum higginsianum</i>	DA5 or DA15
	<i>Xanthomonas campestris</i> pv. <i>aberrans</i>	DA5 or DA15
<i>Brassica oleracea</i> var. <i>italica</i>	<i>Colletotrichum higginsianum</i>	DA5 or DA15
<i>Cucumis melo</i>		DA not required
<i>Foeniculum vulgare</i>		DA not required
<i>Pinus taeda</i>	<i>Gibberella circinata</i>	DA5 or DA15

ANNEX II

Country of Origin: Germany

Crop Scientific Name	Pest Scientific Name	Requirements
<i>Ageratum houstonianum</i> = <i>Ageratum mexicanum</i>		DA not required
<i>Allium cepa</i>	<i>Ditylenchus dipsaci</i>	DA5 or DA15
<i>Allium schoenoprasum</i>		DA not required
<i>Ammi majus</i>		DA not required
<i>Anethum graveolens</i>		DA not required
<i>Antirrhinum majus</i>		DA not required
<i>Artemisia dracunculus</i>		DA not required
<i>Asparagus asparagoides</i>	<i>Asparagus virus 2</i>	DA5 or DA15
<i>Asparagus densiflorus</i>	<i>Asparagus virus 2</i>	DA5 or DA15
<i>Asparagus myriocladus</i>	<i>Asparagus virus 2</i>	DA5 or DA15
<i>Asparagus officinalis</i>	<i>Asparagus virus 2</i>	DA5 or DA15
<i>Asparagus plumosus</i>	<i>Asparagus virus 2</i>	DA5 or DA15
<i>Asteriscus maritimus</i>		DA not required
<i>Begonia semperflorens</i>		DA not required
<i>Begonia tuberosa</i> = <i>Begonia x tuberhybrida</i>		DA not required
<i>Bellis perennis</i>		DA not required
<i>Bupleurum griffithii</i>		DA not required
<i>Calendula officinalis</i>		DA not required

<i>Campanula medium</i>		DA not required
<i>Capsicum annuum</i>	<i>Tomato bushy stunt virus</i>	DA5 or DA15
<i>Catharanthus roseus</i>		DA not required
<i>Celosia argentea</i> = <i>Celosia cristata</i> = <i>Celosia plumosa</i>		DA not required
<i>Chrysanthemum multicaule</i>		DA not required
<i>Chrysanthemum parthenium</i>		DA not required
<i>Chrysanthemum spp.</i>		DA not required
<i>Cucurbita pepo</i>		DA not required
<i>Cyclamen persicum</i>		DA not required
<i>Dahlia pinnata</i> = <i>Dahlia variabilis</i>		DA not required
<i>Dianthus caryophyllus</i>	<i>Rhodococcus fascians</i>	DA5 or DA15
<i>Eucalyptus cinerea</i>		DA not required
<i>Eucaliptus polyantheme</i> = <i>Eucalyptus silverdollar</i>		DA not required
<i>Gazania rigens</i> = <i>Gazania splendens</i>		DA not required
<i>Gomphrena globosa</i>		DA not required
<i>Helianthus annuus</i>	<i>Sitophilus granarius</i>	DA1 or DA2
<i>Limonium latifolium</i>		DA not required
<i>Lobelia erinus</i>		DA not required
<i>Lobelia speciosa</i>		DA not required
<i>Lobularia marítima</i> = <i>Alysson maritimum</i>		DA not required
<i>Lupinus polyphyllus</i>		DA not required
<i>Lycopersicon esculentum</i> = <i>Solanum lycopersicon</i>	<i>Pepino mosaic virus</i>	DA15
	<i>Potato spindle tuber viroid</i>	DA15
	<i>Sitophilus granarius</i>	DA1 or DA2
	<i>Tomato black ring virus</i>	DA15
	<i>Tomato bushy stunt virus</i>	DA5 or DA15
	<i>Tomato ringspot virus</i>	DA15
<i>Matricaria chamomilla</i>		DA not required
<i>Melissa officinalis</i>		DA not required
<i>Molucella laevis</i>		DA not required
<i>Ocimum basilicum</i>		DA not required
<i>Pentas lanceolata</i>		DA not required
<i>Petunia spp.</i>	<i>Asparagus virus 2</i>	DA5 or DA15
	<i>Rhodococcus fascians</i>	DA5 or DA15
<i>Phlox drummondii</i>	<i>Ditylenchus dipsaci</i>	DA5 or DA15
<i>Primula obconica</i>		DA not required
<i>Rudbeckia hirta</i>		DA not required
<i>Salvia splendens</i>		DA not required

<i>Salvia farinacea</i>		DA not required
<i>Salvia officinalis</i>		DA not required
<i>Spinacea oleracea</i>		DA not required
<i>Tagetes erecta</i>		DA not required
<i>Tagetes spp.</i>		DA not required
<i>Viola wittrockiana</i>		DA not required
<i>Zinnia elegans</i>		DA not required

ANNEX III

Country of Origin: Argentina

Crop Scientific Name	Pest Scientific Name	Requirements
<i>Ageratum houstonianum</i> = <i>Ageratum mexicanum</i>		DA not required
<i>Antirrhinum majus</i>		DA not required
<i>Callistephus chinensis</i>		DA not required
<i>Catharanthus roseus</i>		DA not required
<i>Celosia argentea</i> = <i>Celosia cristata</i> = <i>Celosia plumosa</i>		DA not required
<i>Plectranthus scutellarioides</i> = <i>Coleus blumei</i> = <i>Solenostemon escutellarioides</i> = <i>Coleus hybridus</i>		DA not required
<i>Coriandrum sativum</i>		DA not required
<i>Dahlia pinnata</i> = <i>Dahlia variabilis</i>		DA not required
<i>Gazania rigens</i> = <i>Gazania splendens</i>		DA not required
<i>Gomphrena globosa</i>		DA not required
<i>Lobularia marítima</i> = <i>Alysson maritimum</i>		DA not required
<i>Phalaris canariensis</i>		DA not required
<i>Phlox drummondii</i>	<i>Ditylenchus dipsaci</i>	DA5 or DA15
<i>Portulaca grandiflora</i>		DA not required
<i>Primula acaulis</i> = <i>Primula vulgaris</i>		DA not required
<i>Primula obconica</i>		DA not required
<i>Rudbeckia hirta</i>		DA not required
<i>Salvia splendens</i>		DA not required
<i>Sinningia speciosa</i>		DA not required
<i>Solanum melongena</i>		DA not required
<i>Tagetes patula</i>		DA not required
<i>Viola tricolor</i>		DA not required
<i>Zinnia elegans</i>		DA not required

ANNEX IV

Country of Origin: Australia

Crop Scientific Name	Pest Scientific Name	Requirements
<i>Allium cepa</i>	<i>Ditylenchus dipsaci</i>	DA5 or DA15
<i>Apium graveolens</i>	<i>Strawberry Latent ringspot Virus</i>	DA7 or DA15
<i>Axonopus affinis</i>		DA not required
<i>Beta vulgaris</i>	<i>Arabis mosaic virus</i>	DA7 or DA15
	<i>Ditylenchus dipsaci</i>	DA5 or DA15
<i>Brassica campestris var. pekinensis</i>		DA not required
<i>Brassica napus</i>		DA not required
<i>Brassica oleracea var. italica</i>		DA not required
<i>Brassica oleracea var. botrytis</i>		DA not required
<i>Brassica oleracea var. capitata</i>		DA not required
<i>Cichorium intybus</i>		DA not required
<i>Cichorium endivia</i>		DA not required
<i>Coriandrum sativum</i>	<i>Protomyces macrosporus</i>	DA5 or DA15
<i>Cynodon dactylon</i>	<i>Xanthomonas oryzae</i> pv. <i>oryzae</i>	DA5 or DA15
<i>Daucus carota</i>		DA not required
<i>Echinochloa utilis</i> = <i>Echinochloa esculenta</i>	<i>Colletotrichum echinochloae</i>	DA5 or DA15
<i>Foeniculum vulgare</i>		DA not required
<i>Gossypium spp.</i>		DA not required
<i>Lactuca sativa</i>	<i>Arabis mosaic virus</i>	DA7 or DA15
<i>Lens esculenta</i>	<i>Botrytis fabae</i>	DA5 or DA15
	<i>Peronospora viciae</i>	DA5 or DA15
<i>Medicago sativa</i>	<i>Clavibacter michiganensis</i> subsp. <i>insidiosus</i>	DA5 or DA15
<i>Sorghum bicolor</i>	<i>Alphitobius laevigatus</i>	DA1 or DA2
	<i>Carpophilus mutilatus</i>	DA1 or DA2
	<i>Liposcelis entomophila</i>	DA1 or DA2
	<i>Liposcelis paeta</i>	DA1 or DA2
	<i>Periconia circinata</i>	DA5 or DA15
	<i>Sitophilus granarius</i>	DA1 or DA2
	<i>Typhaea stercorea</i>	DA1 or DA2
<i>Trifolium resupinatum</i>	<i>Clavibacter michiganensis</i> subs. <i>Insidiosus</i>	DA5 or DA15
	<i>White clover mosaic virus</i>	DA5 or DA15
<i>Trifolium spp.</i>	<i>Clavibacter michiganensis</i> subs. <i>Insidiosus</i>	DA5 or DA15
	<i>Ditylenchus dipsaci</i>	DA5 or DA15
	<i>White clover mosaic virus</i>	DA5 or DA15

ASSOCIAÇÃO BRASILEIRA DO
COMÉRCIO DE SEMENTES E MUDAS

<i>Zea mays</i>	<i>Latheticus oryzae</i>	DA1 or DA2
	<i>Sitophilus granarius</i>	DA1 or DA2
	<i>Trogoderma variabile</i>	DA1 or DA2

ANNEX V

Country of Origin: Bolivia

Crop Scientific Name	Pest Scientific Name	Requirements
<i>Allium porrum</i>		DA not required
<i>Arachis pintoi</i>		DA not required

ANNEX VI

Country of Origin: Bulgaria

Crop Scientific Name	Pest Scientific Name	Requirements
<i>Coriandrum sativum</i>		DA not required

ANNEX VII

Country of Origin: Canada

Crop Scientific Name	Pest Scientific Name	Requirements
<i>Brassica napus</i>		DA not required
<i>Medicago sativa</i>		DA not required
<i>Phalaris canariensis</i>	<i>White clover mosaic virus</i>	DA5 or DA15

ANNEX VIII

Country of Origin: Chile

Crop Scientific Name	Pest Scientific Name	Requirements
<i>Allium schoenoprasum</i>		DA not required
<i>Apium graveolens</i>		DA not required
<i>Avena sativa</i>	<i>Liposcelis entomophila</i>	DA1 or DA2
	<i>Sitophilus granarius</i>	DA1 or DA2
<i>Brassica oleracea var. botrytis</i>		DA not required
<i>Brassica oleracea var. capitata</i>		DA not required
<i>Brassica oleracea var. italica</i>		DA not required
<i>Cichorium intybus</i>		DA not required
<i>Cichorium endivia</i>		DA not required
<i>Citrullus lanatus</i>		DA not required
<i>Cucumis sativus</i>		DA not required
<i>Cucurbita moschata</i>		DA not required
<i>Foeniculum vulgare</i>		DA not required
<i>Lactuca sativa</i>	<i>Arabis mosaic virus</i>	DA7 or DA15

<i>Salvia splendens</i>	DA not required
-------------------------	-----------------

ANNEX IX

Country of Origin: China

Crop Scientific Name	Pest Scientific Name	Requirements
<i>Ageratum houstonianum</i> = <i>Ageratum mexicanum</i>		DA not required
<i>Allium schoenoprasum</i>		DA not required
<i>Anethum graveolens</i>		DA not required
<i>Antirrhinum majus</i>		DA not required
<i>Artemisia absinthium</i>		DA not required
<i>Artemisia dracunculus</i>		DA not required
<i>Bellis perennis</i>		DA not required
<i>Brassica oleracea var. botrytis</i>	<i>Colletotrichum higginsianum</i>	DA5 or DA15
<i>Calendula officinalis</i>		DA not required
<i>Callistephus chinensis</i>		DA not required
<i>Campanula medium</i>		DA not required
<i>Capsicum frutescens</i>		DA not required
<i>Capsicum annuum</i>		DA not required
<i>Carica papaya</i>		DA not required
<i>Celosia argentea</i> = <i>Celosia cristata</i> = <i>Celosia plumosa</i>		DA not required
<i>Chrysanthemum coronarium</i>		DA not required
<i>Chrysanthemum multicaule</i>		DA not required
<i>Cichorium endivia</i>		DA not required
<i>Cichorium intybus</i>		DA not required
<i>Cineraria maritima</i>		DA not required
<i>Citrullus lanatus</i>	<i>Cucumber green mottle mosaic virus</i>	DA15
<i>Cucumis melo</i>	<i>Cucumber green mottle mosaic virus</i>	DA15
<i>Cucurbita maxima</i>		DA not required
<i>Cucurbita maxima x C.moschata</i>		DA not required
<i>Cucurbita moschata</i>		DA not required
<i>Cucurbita pepo</i>		DA not required
<i>Dahlia pinnata</i> = <i>Dahlia variabilis</i>		DA not required
<i>Daucus carota</i>		DA not required
<i>Dimorphotheca sinuata</i>		DA not required
<i>Eschscholzia californica</i>		DA not required
<i>Fragaria vesca</i>		DA not required
<i>Helichrysum bracteatum</i>		DA not required

<i>Illicium verum</i>		DA not required
<i>Impatiens balsamina</i>		DA not required
<i>Lactuca sativa</i>	<i>Arabis mosaic virus</i>	DA7 or DA15
<i>Lavatera trimestris</i>		DA not required
<i>Limonium sinuatum</i>		DA not required
<i>Linaria maroccana</i>		DA not required
<i>Lobelia erinus</i>		DA not required
<i>Lycopersicon esculentum</i> = <i>Solanum lycopersicum</i>	<i>Pepino mosaic virus</i>	DA15
	<i>Potato spindle tuber viroid</i>	DA15
	<i>Tomato ringspot virus</i>	DA15
<i>Matthiola incana</i>		DA not required
<i>Melissa officinalis</i>		DA not required
<i>Mentha piperita</i>		DA not required
<i>Mirabilis jalapa</i>		DA not required
<i>Nemesia strumosa</i>		DA not required
<i>Ocimum basilicum</i>		DA not required
<i>Panicum miliaceum</i>	<i>Haplothrips aculeatus</i>	DA1 or DA2
	<i>Sclerospora graminicola</i>	DA5 or DA15
<i>Petunia x atlantica</i> = <i>Petunia x hybrida</i>	<i>Potato spindle tuber viroid</i>	DA5 or DA15
<i>Portulaca grandiflora</i>		DA not required
<i>Raphanus sativus</i> = <i>Raphanus acnathiformis</i>		DA not required
<i>Rhapis excelsa</i>		DA not required
<i>Satureja hortensis</i>		DA not required
<i>Tagetes patula</i>		DA not required
<i>Verbena hybrida</i>		DA not required
<i>Viola cornuta</i>	<i>Tobacco rattle virus</i>	DA5 or DA15
<i>Viola tricolor</i>	<i>Mycocentrospora acerina</i>	DA5 or DA15
<i>Viola wittrockiana</i>	<i>Mycocentrospora acerina</i>	DA5 or DA15
	<i>Tobacco rattle virus</i>	DA5 or DA15
<i>Zinnia elegans</i>		DA not required

ANNEX X

Country of Origin: Singapore

Crop Scientific Name	Pest Scientific Name	Requirements
<i>Cuminum cyminum</i>		DA not required

ANNEX XI

Country of Origin: Denmark

Crop Scientific Name	Pest Scientific Name	Requirements
<i>Ageratum houstonianum</i> = <i>Ageratum mexicanum</i>		DA not required
<i>Allium cepa</i>	<i>Ditylenchus dipsaci</i>	DA5 or DA15

<i>Allium fistulosum</i>		DA not required
<i>Allium porrum</i>		DA not required
<i>Allium schoenoprasum</i>		DA not required
<i>Anethum graveolens</i>		DA not required
<i>Anthriscus cerefolium</i>		DA not required
<i>Antirrhinum majus</i>		DA not required
<i>Apium graveolens</i>		DA not required
<i>Barbarea verna</i>		DA not required
<i>Begonia semperflorens</i>		DA not required
<i>Begonia tuberosa</i> = <i>Begonia x tuberhybrida</i>		DA not required
<i>Bellis perennis</i>		DA not required
<i>Beta vulgaris</i>	<i>Arabis mosaic virus</i>	DA7 or DA15
	<i>Tomato black ring virus</i>	DA7 or DA15
	<i>Ditylenchus dipsaci</i>	DA5 or DA15
<i>Beta vulgaris var. cicla</i>	<i>Arabis mosaic virus</i>	DA7 or DA15
	<i>Ditylenchus dipsaci</i>	DA5 or DA15
<i>Brassica campestris var. pekinensis</i>		DA not required
<i>Brassica oleracea var. acephala</i>		DA not required
<i>Brassica oleracea var. botrytis</i>		DA not required
<i>Brassica oleracea var. capitata</i>		DA not required
<i>Brassica oleracea var. gongyloides</i>		DA not required
<i>Brassica oleracea var. italica</i>		DA not required
<i>Brassica rapa</i>		DA not required
<i>Browallia speciosa</i>		DA not required
<i>Calendula officinalis</i>		DA not required
<i>Callistephus chinensis</i>		DA not required
<i>Capsicum annuum</i>		DA not required
<i>Catharanthus roseus</i>		DA not required
<i>Celosia argentea</i> = <i>Celosia cristata</i> = <i>Celosia plumosa</i>		DA not required
<i>Centaurea cyanus</i>		DA not required
<i>Chrysanthemum carinatum</i>		DA not required
<i>Chrysanthemum coronarium</i>		DA not required
<i>Chrysanthemum paludosum</i>		DA not required
<i>Cichorium endivia</i>		DA not required

<i>Cichorium intybus</i>		DA not required
<i>Cineraria cruenta</i>		DA not required
<i>Cineraria maritima</i>		DA not required
<i>Citrullus lanatus</i>	<i>Cucumber green mottle mosaic virus</i>	DA15
<i>Plectranthus scutellarioides</i> = <i>Coleus blumei</i> = <i>Solenostemon escutellarioides</i> = <i>Coleus hybridus</i>		DA not required
<i>Consolida ambigua</i>		DA not required
<i>Coreopsis tinctoria</i>		DA not required
<i>Coriandrum sativum</i>		DA not required
<i>Cosmos bipinnatus</i>		DA not required
<i>Cucumis melo</i>	<i>Cucumber green mottle mosaic virus</i>	DA15
<i>Cucumis sativus</i>	<i>Cucumber green mottle mosaic virus</i>	DA15
<i>Cucurbita pepo</i>		DA not required
<i>Dahlia pinnata</i> = <i>Dahlia variabilis</i>		DA not required
<i>Dahlia</i> spp.		DA not required
<i>Daucus carota</i>		DA not required
<i>Dianthus barbatus</i>	<i>Rhodococcus fascians</i>	DA5 or DA15
<i>Dianthus caryophyllus</i>	<i>Rhodococcus fascians</i>	DA5 or DA15
<i>Dianthus chinensis</i>	<i>Rhodococcus fascians</i>	DA5 or DA15
<i>Dimorphotheca sinuata</i>		DA not required
<i>Eruca sativa</i>		DA not required
<i>Eustoma grandiflorum</i>		DA not required
<i>Foeniculum vulgare</i>		DA not required
<i>Gazania rigens</i> = <i>Gazania splendens</i>		DA not required
<i>Gerbera jamesonii</i>		DA not required
<i>Gomphrena globosa</i>		DA not required
<i>Gypsophila elegans</i>		DA not required
<i>Gypsophila muralis</i>		DA not required
<i>Gypsophila paniculata</i>		DA not required
<i>Helichrysum bracteatum</i>		DA not required
<i>Impatiens balsamina</i>		DA not required
<i>Impatiens walleriana</i>		DA not required
<i>Lactuca sativa</i>	<i>Arabis mosaic virus</i>	DA7 or DA15
	<i>Tomato black ring virus</i>	DA7 or DA15
<i>Lathyrus odoratus</i>		DA not required
<i>Lavandula angustifolia</i>		DA not required
<i>Lepidium sativum</i>		DA not required
<i>Limonium sinuatum</i>		DA not required
<i>Lobelia erinus</i>		DA not required
<i>Lobularia marítima</i> = <i>Alysson maritimum</i>		DA not required

ASSOCIAÇÃO BRASILEIRA DO
COMÉRCIO DE SEMENTES E MUDAS

<i>Lycopersicon esculentum</i> = <i>Solanum lycopersicon</i>	<i>Pepino mosaic virus</i>	DA15
	<i>Tomato black ring virus</i>	DA15
<i>Matricaria chamomilla</i>		DA not required
<i>Matthiola incana</i>		DA not required
<i>Mirabilis jalapa</i>		DA not required
<i>Origanum vulgare</i>		DA not required
<i>Papaver nudicaule</i>		DA not required
<i>Papaver orientale</i>		DA not required
<i>Petroselinum crispum</i>		DA not required
<i>Petunia grandiflora</i>	<i>Rhodococcus fascians</i>	DA5 or DA15
<i>Phlox drummondii</i>	<i>Ditylenchus dipsaci</i>	DA5 or DA15
<i>Pimpinella anisum</i>		DA not required
<i>Portulaca grandiflora</i>		DA not required
<i>Portulaca oleracea</i>		DA not required
<i>Primula acaulis</i> = <i>Primula vulgaris</i>		DA not required
<i>Raphanus sativus</i> = <i>Raphanus acanthiformis</i>		DA not required
<i>Salvia farinacea</i>		DA not required
<i>Salvia splendens</i>		DA not required
<i>Scabiosa atropurpurea</i>		DA not required
<i>Senecio cineraria</i>		DA not required
<i>Solanum melongena</i>		DA not required
<i>Spinacea oleracea</i>		DA not required
<i>Tagetes erecta</i>		DA not required
<i>Tagetes patula</i>		DA not required
<i>Tetragonia tetragonoides</i>		DA not required
<i>Thymus vulgaris</i>		DA not required
<i>Tropaeolum majus</i>	<i>Rhodococcus fascians</i>	DA5 or DA15
<i>Viola tricolor</i>		DA not required
<i>Zinnia elegans</i>		DA not required

ANNEX XII

Country of Origin: Egypt

Crop Scientific Name	Pest Scientific Name	Requirements
<i>Brassica oleracea</i> var. <i>botrytis</i>		DA not required
<i>Brassica oleracea</i> var. <i>italica</i>		DA not required
<i>Foeniculum vulgare</i>		DA not required
<i>Mentha piperita</i>		DA not required
<i>Origanum majorana</i>		DA not required
<i>Petroselinum crispum</i>		DA not required

ANNEX XIII

Country of Origin: Spain

Crop Scientific Name	Pest Scientific Name	Requirements
<i>Allium cepa</i>	<i>Ditylenchus dipsaci</i>	DA5 or DA15
<i>Brassica oleracea var. botrytis</i>		DA not required
<i>Brassica oleracea var. italica</i>		DA not required
<i>Capsicum annuum</i>		DA not required
<i>Chamaerops humilis</i>		DA not required
<i>Cucumis melo</i>	<i>Cucumber green mottle mosaic virus</i>	DA15
<i>Cucurbita pepo</i>		DA not required
<i>Lactuca sativa</i>	<i>Arabis mosaic virus</i>	DA7 or DA15
<i>Lycopersicon esculentum</i>	<i>Fusarium oxysporum f.sp. radicis-lycopersici</i>	DA5 or DA15
	<i>Pelargonium zonate spot virus</i>	DA7 or DA15
	<i>Pepino mosaic virus</i>	DA15
	<i>Potato spindle tuber viroid</i>	DA15
	<i>Tomato bushy stunt virus</i>	DA5 or DA15

ANNEX XIV

Country of Origin: United States of America

Crop Scientific Name	Pest Scientific Name	Requirements
<i>Abelmoschus esculentus</i>		DA not required
<i>Ageratum houstonianum</i> = <i>Ageratum mexicanum</i>		DA not required
<i>Allium fistulosum</i>		DA not required
<i>Allium porrum</i>	<i>Botryotinia porri</i>	DA5 or DA15
	<i>Pleospora herbarum</i>	DA5 or DA15
	<i>Urocystis cepulae</i>	DA5 or DA15
<i>Allium schoenoprasum</i>		DA not required
<i>Alstroemeria SP.</i>		DA not required
<i>Alyssum saxatile</i>		DA not required
<i>Anethum graveolens</i>		DA not required
<i>Anthurium andreanum</i>		DA not required
<i>Antirrhinum majus</i>		DA not required
<i>Apium graveolens</i>	<i>Strawberry Latent ringspot Virus</i>	DA7 or DA15
<i>Asparagus officinalis</i>	<i>Asparagus virus 2</i>	DA5 or DA15
	<i>Fusarium oxysporum f.sp. asparagi</i>	DA5 or DA15
<i>Asparagus sprengeri</i>	<i>Asparagus virus 2</i>	DA5 or DA15
	<i>Fusarium oxysporum f.sp.asparagi</i>	DA5 or DA15
<i>Barbarea verna</i>		DA not required
<i>Begonia semperflorens</i>		DA not required
<i>Begonia tuberosa</i> =		DA5 or DA15

<i>Begonia x tuberhybrida</i>		
<i>Bellis perennis</i>		DA15
<i>Beta vulgaris</i>	<i>Arabis mosaic virus</i>	DA7 or DA15
	<i>Ditylenchus dipsaci</i>	DA5 or DA15
	<i>Peronospora farinosa</i>	DA5 or DA15
<i>Beta vulgaris var. cicla</i>	<i>Arabis mosaic virus</i>	DA7 or DA15
	<i>Ditylenchus dipsaci</i>	DA5 or DA15
<i>Brassica campestris var. pekinensis</i>	<i>Colletotrichum higginsianum</i>	DA5 or DA15
<i>Brassica juncea</i>	<i>Colletotrichum higginsianum</i>	DA5 or DA15
<i>Brassica oleracea var. acephala</i>	<i>Colletotrichum higginsianum</i>	DA5 or DA15
<i>Brassica oleracea var. botrytis</i>	<i>Colletotrichum higginsianum</i>	DA5 or DA15
<i>Brassica oleracea var. capitata</i>	<i>Colletotrichum higginsianum</i>	DA5 or DA15
<i>Brassica oleracea var. gongyloides</i>	<i>Colletotrichum higginsianum</i>	DA5 or DA15
<i>Brassica oleracea var. italica</i>	<i>Colletotrichum higginsianum</i>	DA5 or DA15
<i>Brassica rapa</i>	<i>Colletotrichum higginsianum</i>	DA5 or DA15
<i>Browallia speciosa</i>		DA not required
<i>Calendula officinalis</i>		DA not required
<i>Callistephus chinensis</i>		DA not required
<i>Capsicum frutescens</i>		DA not required
<i>Carum carvi</i>	<i>Mycocentrospora acerina</i>	DA5 or DA15
<i>Catharanthus roseus</i>		DA not required
<i>Celosia argentea = Celosia cristata = Celosia plumosa</i>		DA not required
<i>Chrysanthemum carinatum</i>		DA not required
<i>Cichorium endivia</i>	<i>Pectobacterium rhabontici</i>	DA5 or DA15
<i>Cichorium intybus</i>	<i>Pectobacterium rhabontici</i>	DA5 or DA15
<i>Cineraria maritima</i>		DA not required
<i>Citrullus lanatus</i>		DA not required
<i>Plectranthus scutellarioides = Coleus blumei = Solenostemon escutellarioides = Coleus hybridus</i>		DA not required
<i>Consolida ambigua</i>	<i>Coniothyrium hellebori</i>	DA5 or DA15
<i>Coriandrum sativum</i>		DA not required
<i>Cosmos bipinnatus</i>		DA not required
<i>Cucumis melo</i>		DA not required
<i>Cucumis sativus</i>		DA not required

<i>Cucurbita maxima</i>		DA not required
<i>Cucurbita maxima x C.moschata</i>		DA not required
<i>Cucurbita moschata</i>		DA not required
<i>Cucurbita pepo</i>		DA not required
<i>Cyclamen persicum</i>		DA not required
<i>Cynara scolymus</i>		DA not required
<i>Cynodon dactylon</i>	<i>Balansia oryzae-sativae</i>	DA5 or DA15
	<i>Xanthomonas oryzae pv. oryzae</i>	DA5 or DA15
<i>Dahlia pinnata = Dahlia variabilis</i>		DA not required
<i>Dahlia spp.</i>		DA not required
<i>Daucus carota</i>		DA not required
<i>Delphinium elatum</i>		DA not required
<i>Dianthus barbatus</i>	<i>Pectobacterium rhabontici</i>	DA5 or DA15
	<i>Rhodococcus fascians</i>	DA5 or DA15
<i>Dianthus caryophyllus</i>	<i>Pectobacterium rhabontici</i>	DA5 or DA15
	<i>Rhodococcus fascians</i>	DA5 or DA15
<i>Dianthus chinensis</i>	<i>Pectobacterium rhabontici</i>	DA5 or DA15
	<i>Rhodococcus fascians</i>	DA5 or DA15
<i>Eruca sativa</i>		DA not required
<i>Eschscholzia californica</i>		DA not required
<i>Eustoma grandiflorum</i>		DA not required
<i>Foeniculum vulgare</i>		DA not required
<i>Gazania rigens = Gazania splendens</i>		DA not required
<i>Glycine max</i>	<i>Arabis mosaic virus</i>	DA7 or DA15
	<i>Botrytis fabae</i>	DA5 or DA15
	<i>Peanut stunt virus</i>	DA5 or DA15
	<i>Tomato ringspot virus</i>	DA15
	<i>Verticillium nigrescens</i>	DA5 or DA15
<i>Godetia grandiflora = Godetia amoena = Clarkia amoena</i>		DA not required
<i>Gomphrena globosa</i>		DA not required
<i>Gossypium spp.</i>		DA not required
<i>Helianthus annuus</i>	<i>Pseudomonas syringae pv. aptata</i>	DA5 or DA15
	<i>Pseudomonas syringae pv. tagetis</i>	DA5 or DA15
	<i>Sitophilus granarius</i>	DA1 or DA2
	<i>Smicronyx fulvus</i>	DA1 or DA2
	<i>Smicronyx sordidus</i>	DA1 or DA2
<i>Helichrysum bracteatum</i>		DA not required
<i>Hypoestes phyllostachya</i>		DA not required
<i>Hypoestes sanguinolenta</i>		DA not required
<i>Impatiens balsamina</i>		DA not required
<i>Impatiens hawkeri</i>		DA not required

<i>Impatiens walleriana</i>		DA not required
<i>Lactuca sativa</i>	<i>Arabis mosaic virus</i>	DA7 or DA15
	<i>Tomato black ring virus</i>	DA7 or DA15
<i>Lavandula angustifolia</i>		DA not required
<i>Lens esculenta</i>	<i>Botrytis fabae</i>	DA5 or DA15
	<i>Peronospora viciae</i>	DA5 or DA15
<i>Lepidium sativum</i>		DA not required
<i>Limonium sinuatum</i>	<i>Cercospora insulana</i>	DA5 or DA15
<i>Lobelia erinus</i>		DA not required
<i>Lobularia marítima</i> = <i>Alysson maritimum</i>		DA not required
<i>Lolium perenne</i>	<i>Gloeotinia granigena</i>	DA5 or DA15
	<i>White clover mosaic virus</i>	DA5 or DA15
	<i>Uocystis gropyri</i>	DA5 or DA15
<i>Matthiola longipetala</i>		DA not required
<i>Mentha piperita</i>		DA not required
<i>Nasturtium officinale</i>		DA not required
<i>Ocimum basilicum</i>		DA not required
<i>Origanum majorana</i>		DA not required
<i>Origanum vulgare</i>		DA not required
<i>Oryza sativa</i>	<i>Balansia oryzae-sativae</i>	DA5 or DA15
	<i>Burkholderia glumae</i>	DA5 or DA15
	<i>Latheticus oryzae</i>	DA1 or DA2
	<i>Sitophilus granarius</i>	DA1 or DA2
	<i>Trogoderma variabile</i>	DA1 or DA2
	<i>Typhaea stercorea</i>	DA1 or DA2
	<i>Xanthomonas oryzae</i> pv. <i>oryzae</i>	DA5 or DA15
<i>Papaver nudicaule</i>		DA not required
<i>Pelargonium hortorum</i>	<i>Rhodococcus fascians</i>	DA5 or DA15
	<i>Tomato ringspot virus</i>	DA5 or DA15
<i>Petroselinum crispum</i>		DA not required
<i>Petunia x atkinsiana</i> = <i>Petunia x hybrida</i>	<i>Asparagus virus 2</i>	DA5 or DA15
	<i>Potato sindle tuber viroid</i>	DA5 or DA15
	<i>Rhodococcus fascians</i>	DA5 or DA15
<i>Phlox drummondii</i>	<i>Ditylenchus dipsaci</i>	DA5 or DA15
<i>Pinus taeda</i>	<i>Gibberella circinata</i>	DA5 or DA15
	<i>Leptographium procerum</i>	DA5 or DA15
<i>Portulaca grandiflora</i>		DA not required
<i>Primula acaulis</i> = <i>Primula vulgaris</i>	<i>Pseudomonas syringae</i> pv. <i>primulae</i>	DA5 or DA15
<i>Primula elatior</i>	<i>Pseudomonas syringae</i> pv. <i>primulae</i>	DA5 or DA15
<i>Raphanus sativus</i> = <i>Raphanus acanthiformis</i>		DA not required
<i>Rudbeckia sp.</i>		DA not required
<i>Salvia farinacea</i>		DA not required
<i>Salvia splendens</i>		DA not required

ASSOCIAÇÃO BRASILEIRA DO
COMÉRCIO DE SEMENTES E MUDAS

<i>Solanum melongena</i>	Pepino mosaic virus	DA5 or DA15
<i>Spinacea oleracea</i>	<i>Cladosporium variabile</i>	DA5 or DA15
	<i>Peronospora farionosa</i>	DA5 or DA15
	Spinach latent ilarvirus	DA7 or DA15
<i>Tagetes erecta</i>		DA5 or DA15
<i>Tagetes patula</i>		DA5 or DA15
<i>Tetragonia tetragonoides</i>		DA5 or DA15
<i>Thymus vulgaris</i>		DA not required
<i>Torenia fournieri</i>		DA not required
<i>Verbascum hybridum</i>		DA not required
<i>Verbena hybrida</i>		DA not required
<i>Viola cornuta</i>		DA not required
<i>Viola hybrida</i>	<i>Mycocentrospora acerina</i>	DA5 or DA15
<i>Viola tricolor</i>	<i>Mycocentrospora acerina</i>	DA5 or DA15
<i>Viola wittrockiana</i>	<i>Mycocentrospora acerina</i>	DA5 or DA15
<i>Zamia furfuracea</i>		DA not required
<i>Zinnia elegans</i>		DA not required

ANNEX XV

Country of Origin: Philippines

Crop Scientific Name	Pest Scientific Name	Requirements
<i>Allium cepa</i>		DA not required

ANNEX XVI

Country of Origin: France

Crop Scientific Name	Pest Scientific Name	Requirements
<i>Ageratum houstonianum</i> = <i>Ageratum mexicanum</i>		DA not required
<i>Allium cepa</i>	<i>Ditylenchus dipsaci</i>	DA5 or DA15
<i>Allium porrum</i>		DA5 or DA15
<i>Allium schoenoprasum</i>		DA not required
<i>Alyssum saxatile</i>		DA not required
<i>Anethum graveolens</i>		DA not required
<i>Anthriscus cerefolium</i>		DA not required
<i>Antirrhinum majus</i>		DA not required
<i>Apium graveolens</i>	<i>Strawberry Latent ringspot virus</i>	DA7 or DA15
<i>Arabis alpina</i>		DA not required
<i>Artemisia absinthium</i>		DA not required
<i>Barbarea verna</i>		DA not required
<i>Beta vulgaris</i>	<i>Arabis mosaic virus</i>	DA7 or DA15
	<i>Ditylenchus dipsaci</i>	DA5 or DA15
	<i>Tomato black ring virus</i>	DA7 or DA15
<i>Brassica campestris</i> var. <i>pekinensis</i>		DA not required

<i>Brassica oleracea</i> var. <i>acephala</i>		DA not required
<i>Brassica oleracea</i> var. <i>botrytis</i>		DA not required
<i>Brassica oleracea</i> var. <i>capitata</i>		DA not required
<i>Brassica oleracea</i> var. <i>italica</i>		DA not required
<i>Calendula officinalis</i>		DA not required
<i>Callistephus chinensis</i>		DA not required
<i>Campanula medium</i>		DA not required
<i>Capsicum annuum</i>		DA not required
<i>Capsicum annuum</i>	<i>Tomato bushy stunt virus</i>	DA5 or DA15
<i>Capsicum frutescens</i>		DA not required
<i>Celosia argentea</i> = <i>Celosia cristata</i> = <i>Celosia plumosa</i>		DA not required
<i>Centaurea cyanus</i>		DA not required
<i>Chamaerops humilis</i>		DA not required
<i>Cheiranthus cheiri</i>		DA not required
<i>Chrysanthemum carinatum</i>		DA not required
<i>Chrysanthemum leucanthemum</i>		DA not required
<i>Cichorium endivia</i>		DA not required
<i>Cichorium intybus</i>		DA not required
<i>Cineraria maritima</i>		DA not required
<i>Citrullus lanatus</i>		DA not required
<i>Clarkia elegans</i>		DA not required
<i>Cobaea scandens</i>		DA not required
<i>Consolida ambigua</i>		DA not required
<i>Consolida regalis</i>		DA not required
<i>Convolvulus tricolor</i>		DA not required
<i>Coreopsis tinctoria</i>		DA not required
<i>Coriandrum sativum</i>		DA not required
<i>Cosmos bipinnatus</i>		DA not required
<i>Cucumis melo</i>	<i>Cucumber green mottle mosaic virus</i>	DA15
<i>Cucumis sativus</i>	<i>Cucumber green mottle mosaic virus</i>	DA15
<i>Cucurbita pepo</i>		DA not required
<i>Cuminum cyminum</i>		DA not required
<i>Cyclamen persicum</i>		DA not required
<i>Dahlia pinnata</i> = <i>Dahlia variabilis</i>		DA not required
<i>Daucus carota</i>		DA not required
<i>Dianthus barbatus</i>	<i>Pectobacterium rhabontici</i>	DA5 or DA15
	<i>Rhodococcus fascians</i>	DA5 or DA15

ASSOCIAÇÃO BRASILEIRA DO
COMÉRCIO DE SEMENTES E MUDAS

<i>Dianthus caryophyllus</i>	<i>Pectobacterium rhabontici</i>	DA5 or DA15
	<i>Rhodococcus fascians</i>	DA5 or DA15
<i>Dianthus chinensis</i>	<i>Pectobacterium rhabontici</i>	DA5 or DA15
	<i>Rhodococcus fascians</i>	DA5 or DA15
<i>Dianthus purpurea</i>	<i>Pectobacterium rhabontici</i>	DA5 or DA15
	<i>Rhodococcus fascians</i>	DA5 or DA15
<i>Digitalis purpurea</i>		DA not required
<i>Dimorphotheca sinuata</i>		DA not required
<i>Dorotheanthus bellidiformes</i>		DA not required
<i>Eschscholzia californica</i>		DA not required
<i>Foeniculum vulgare</i>		DA not required
<i>Fragaria vesca</i>	<i>Raspberry ringspot virus</i>	DA5 or DA15
<i>Gaillardia pulchella</i>		DA not required
<i>Gazania rigens</i> = <i>Gazania splendens</i>		DA not required
<i>Godetia grandiflora</i> = <i>Godetia amoena</i> = <i>Clarkia amoena</i>		DA not required
<i>Gomphrena globosa</i>		DA not required
<i>Gypsophila elegans</i>		DA not required
<i>Helianthus annuus</i>	<i>Albugo tragopogonis</i>	DA5 or DA15
	<i>Sitophilus granarius</i>	DA1 or DA2
<i>Helichrysum bracteatum</i>		DA not required
<i>Hordeum vulgare</i>	<i>Alternaria triticina</i>	DA5 or DA15
	<i>Gibberella pulicaris</i>	DA5 or DA15
	<i>Pyrenophora graminea</i>	DA5 or DA15
	<i>Pythium sylvaticum</i>	DA5 or DA15
	<i>Sitodiplosis mosellana</i>	DA1 or DA2
	<i>Sitophilus granarius</i>	DA1 or DA2
<i>Impatiens balsamina</i>		DA not required
<i>Impatiens walleriana</i>		DA not required
<i>Ipomoea purpurea</i>		DA not required
<i>Lactuca sativa</i>	<i>Arabis mosaic virus</i>	DA7 or DA15
	<i>Tomato black ring virus</i>	DA7 or DA15
<i>Lathyrus odoratus</i>		DA not required
<i>Lavandula angustifolia</i>		DA not required
<i>Lavandula officinalis</i>		DA not required
<i>Lavatera trimestris</i>		DA not required
<i>Limonium sinuatum</i>		DA not required
<i>Linum rubrum</i>	<i>Alternaria linicola</i>	DA5 or DA15
	<i>Colletotrichum linicola</i>	DA5 or DA15
	<i>Guignardia fulvida</i>	DA5 or DA15
<i>Lobelia erinus</i>		DA not required
<i>Lobularia marítima</i> = <i>Alysson maritimum</i>		DA not required

<i>Lupinus hartwegii</i>		DA not required
<i>Lupinus polyphyllus</i>		DA not required
<i>Lycopersicon esculentum</i> = <i>Solanum lycopersicum</i>	<i>Pelargonium zonate spot virus</i>	DA7 or DA15
	<i>Pepino mosaic virus</i>	DA15
	<i>Tomato black ring virus</i>	DA15
	<i>Tomato bushy stunt virus</i>	DA5 or DA15
	<i>Tomato ringspot virus</i>	DA15
<i>Matricaria chamomilla</i>		DA not required
<i>Matthiola incana</i>		DA not required
<i>Melissa officinalis</i>		DA not required
<i>Mentha piperita</i>		DA not required
<i>Mirabilis jalapa</i>		DA not required
<i>Myosotis alpestris</i>		DA not required
<i>Nasturtium officinale</i>		DA not required
<i>Nigella damascena</i>		DA not required
<i>Ocimum basilicum</i>		DA not required
<i>Origanum majorana</i>		DA not required
<i>Origanum vulgare</i>		DA not required
<i>Papaver nudicaule</i>		DA not required
<i>Papaver orientale</i>		DA not required
<i>Petroselinum crispum</i>		DA not required
<i>Petunia multiflora</i>	<i>Rhodococcus fascians</i>	DA5 or DA15
<i>Petunia atkinsiana</i> = <i>Petunia x hybrida</i>	<i>Rhodococcus fascians</i>	DA5 or DA15
<i>Phlox drummondii</i>	<i>Ditylenchus dipsaci</i>	DA5 or DA15
<i>Pimpinella anisum</i>		DA not required
<i>Portulaca grandiflora</i>		DA not required
<i>Primula elatior</i>	<i>Pseudomonas syringae</i> pv. <i>primulae</i>	DA5 or DA15
<i>Raphanus sativus</i> = <i>Raphanus acanthiformis</i>		DA not required
<i>Rosmarinus officinalis</i>		DA not required
<i>Salvia farinacea</i>		DA not required
<i>Salvia officinalis</i>		DA not required
<i>Salvia splendens</i>		DA not required
<i>Senecio cineraria</i>	<i>Pustula tragopogonis</i>	DA5 or DA15
<i>Solanum melongena</i>	<i>Pepino mosaic virus</i>	DA5 or DA15
<i>Spinacea oleracea</i>		DA not required
<i>Tagetes erecta</i>		DA not required
<i>Tagetes patula</i>		DA not required
<i>Thymus vulgaris</i>		DA not required
<i>Viola cornuta</i>		DA not required
<i>Viola tricolor</i>	<i>Mycocentrospora acerina</i>	DA5 or DA15
<i>Viola witrockiana</i>	<i>Mycocentrospora acerina</i>	DA5 or DA15
<i>Zinnia elegans</i>		DA not required
<i>Zinnia haageana</i>		DA not required

ANNEX XVII

Country of Origin: Greece

Crop Scientific Name	Pest Scientific Name	Requirements
<i>Carum carvi</i>		DA not required

ANNEX XVIII

Country of Origin: Guatemala

Crop Scientific Name	Pest Scientific Name	Requirements
<i>Chamaedorea elegans</i>		DA not required

ANNEX XIX

Country of Origin: Netherlands

Crop Scientific Name	Pest Scientific Name	Requirements
<i>Abelmoschus esculentus</i>		DA not required
<i>Adonis aestivalis</i>		DA not required
<i>Ageratum houstonianum</i> = <i>Ageratum mexicanum</i>		DA not required
<i>Ageratum houstonianum</i> = <i>Ageratum mexicanum</i>		DA not required
<i>Allium cepa</i>	<i>Ditylenchus dipsaci</i>	DA5 or DA15
<i>Allium fistulosum</i>		DA not required
<i>Allium porrum</i>	<i>Urocystis cepulae</i>	DA5 or DA15
<i>Allium schoenoprasum</i>		DA not required
<i>Alyssum saxatile</i>		DA not required
<i>Anethum graveolens</i>		DA not required
<i>Anthriscus cerefolium</i>		DA not required
<i>Antirrhinum majus</i>		DA not required
<i>Apium graveolens</i>	<i>Celery latent virus</i>	DA7 or DA15
	<i>Strawberry Latent ringspot virus</i>	DA7 or DA15
<i>Artemisia absinthium</i>		DA not required
<i>Artemisia dracunculus</i>		DA not required
<i>Aubretia deltoides</i>		DA not required
<i>Beaucarnea recurvata</i>		DA not required
<i>Begonia semperflorens</i>		DA not required
<i>Begonia tuberosa</i> = <i>Begonia x tuberhybrida</i>		DA not required
<i>Bellis perennis</i>		DA not required
<i>Beta vulgaris</i>	<i>Arabis mosaic virus</i>	DA7 or DA15
	<i>Ditylenchus dipsaci</i>	DA5 or DA15
	<i>Tomato black ring virus</i>	DA7 or DA15
<i>Bismarckia nobilis</i>		DA not required
<i>Brassica campestris var.</i> <i>pekinensis</i>		DA not required

<i>Brassica juncea</i>		DA not required
<i>Brassica oleracea var. acephala</i>		DA not required
<i>Brassica oleracea var. botrytis</i>		DA not required
<i>Brassica oleracea var. capitata</i>		DA not required
<i>Brassica oleracea var. gemmifera</i>		DA not required
<i>Brassica oleracea var. gongylodes</i>		DA not required
<i>Brassica oleracea var. italica</i>		DA not required
<i>Browallia viscosa</i> = <i>Browallia americana</i>		DA not required
<i>Calendula officinalis</i>		DA not required
<i>Callistephus chinensis</i>		DA not required
<i>Campânula medium</i>		DA not required
<i>Capsicum annuum</i>		DA not required
<i>Carthamus tinctorius</i>		DA not required
<i>Carum carvi</i>	<i>Mycocentrospora acerina</i>	DA5 or DA15
<i>Catharanthus roseus</i>		DA5 or DA15
<i>Celosia argentea</i> = <i>Celosia cristata</i> = <i>Celosia plumosa</i>		DA not required
<i>Centaurea cyanus</i>		DA not required
<i>Chamaedorea elegans</i>		DA not required
<i>Chamaedorea ernestii-augustii</i>		DA not required
<i>Chamaedorea metallica</i>		DA not required
<i>Chamaedorea microspadix</i>		DA not required
<i>Chamaedorea seifrizii</i>		DA not required
<i>Chamaerops humilis</i>		DA not required
<i>Chrysanthemum carinatum</i>		DA not required
<i>Chrysanthemum coronarium</i>		DA not required
<i>Chrysanthemum leucanthemum</i>		DA not required
<i>Chrysanthemum multicaule</i>		DA not required
<i>Chrysanthemum paludosum</i>		DA not required
<i>Cichorium endivia</i>		DA not required
<i>Cichorium intybus</i>		DA not required
<i>Cineraria maritime</i>		DA not required

ASSOCIAÇÃO BRASILEIRA DO
COMÉRCIO DE SEMENTES E MUDAS

<i>Citrullus lanatus</i>	<i>Cucumber green mottle mosaic virus</i>	DA15
<i>Clarkia elegans</i>		DA not required
<i>Cleome hassleriana</i>		DA not required
<i>Cobaea scandens</i>		DA not required
<i>Plectranthus scutellarioides</i> = <i>Coleus blumei</i> = <i>Solenostemon escutellarioides</i> = <i>Coleus hybridus</i>		DA not required
<i>Consolida ambigua</i>		DA not required
<i>Consolida regalis</i>		DA not required
<i>Convolvulus tricolor</i>		DA not required
<i>Coreopsis tinctoria</i>		DA not required
<i>Coriandrum sativum</i>		DA not required
<i>Cosmos bipinnatus</i>		DA not required
<i>Cucumis melo</i>	<i>Cucumber green mottle mosaic virus</i>	DA15
<i>Cucumis sativus</i>	<i>Cucumber green mottle mosaic virus</i>	DA15
<i>Cucurbita pepo</i>		DA not required
<i>Cuminum cyminum</i>		DA not required
<i>Cycas revolute</i>		DA not required
<i>Cyclamen persicum</i>		DA not required
<i>Dahlia pinnata</i> = <i>Dahlia variabilis</i>		DA not required
<i>Daucus carota</i>		DA not required
<i>Dianthus barbatus</i>	<i>Pectobacterium rhabontici</i>	DA5 or DA15
	<i>Rhodococcus fascians</i>	DA5 or DA15
<i>Dianthus caryophyllus</i>	<i>Pectobacterium rhabontici</i>	DA5 or DA15
	<i>Rhodococcus fascians</i>	DA5 or DA15
<i>Dianthus chinensis</i>	<i>Pectobacterium rhabontici</i>	DA5 or DA15
	<i>Rhodococcus fascians</i>	DA5 or DA15
<i>Digitalis purpurea</i>		DA not required
<i>Dimorphotheca sinuata</i>		DA not required
<i>Dorotheanthus bellidiformes</i>		DA not required
<i>Dypsis leptocheilos</i>		DA not required
<i>Eruca sativa</i>		DA not required
<i>Eschscholzia californica</i>		DA not required
<i>Foeniculum vulgare</i>		DA not required
<i>Fragaria vesca</i>	<i>Raspberry ringspot virus</i>	DA5 or DA15
<i>Gazania rigens</i> = <i>Gazania splendens</i>		DA not required
<i>Gerbera jamesonii</i>		DA not required
<i>Gerbera splendens</i>		DA not required
<i>Godetia grandiflora</i> = <i>Godetia amoena</i> = <i>Clarkia amoena</i>		DA not required

<i>Gomphrena globosa</i>		DA not required
<i>Gypsophila elegans</i>		DA not required
<i>Gypsophila paniculata</i>		DA not required
<i>Helianthus annuus</i>		DA not required
<i>Helianthus debilis</i>		DA not required
<i>Helichrysum bracteatum</i>		DA not required
<i>Hesperis matronalis</i>		DA not required
<i>Hippeastrum spp.</i>		DA not required
<i>Hyophorbe lagenicaulis</i>		DA not required
<i>Hypericum perforatum</i>		DA not required
<i>Hyssopus officinalis</i>		DA not required
<i>Iberis umbellate</i>		DA not required
<i>Impatiens balsamina</i>		DA not required
<i>Impatiens walleriana</i>		DA not required
<i>Ipomoea purpurea</i>		DA not required
<i>Lactuca sativa</i>	<i>Arabis mosaic virus</i>	DA7 or DA15
	<i>Tomato black ring virus</i>	DA7 or DA15
<i>Lathyrus odoratus</i>		DA not required
<i>Lavandula angustifolia</i>		DA not required
<i>Lavatera trimestris</i>		DA not required
<i>Leucanthemum maximum</i>		DA not required
<i>Limonium sinuatum</i>		DA not required
<i>Linaria maroccana</i>		DA not required
<i>Linum perenne</i>	<i>Alternaria linicola</i>	DA5 or DA15
	<i>Colletotrichum linicola</i>	DA5 or DA15
	<i>Guignardia fulvida</i>	DA5 or DA15
<i>Lobelia erinus</i>		DA not required
<i>Lobularia marítima</i> = <i>Alysson maritimum</i>		DA not required
<i>Lupinus polyphyllus</i>		DA not required
<i>Lycopersicon esculentum</i> = <i>Solanum lycopersicum</i>	<i>Pepino mosaic virus</i>	DA15
	<i>Potato spindle tuber viroid</i>	DA15
	<i>Tomato black ring virus</i>	DA15
<i>Matricaria chamomilla</i>		DA not required
<i>Matthiola incana</i>		DA not required
<i>Melissa officinalis</i>		DA not required
<i>Mentha piperita</i>		DA not required
<i>Mirabilis jalapa</i>		DA not required
<i>Molucella laevis</i>		DA not required
<i>Myosotis alpestris</i>		DA not required
<i>Nasturtium officinale</i>		DA not required
<i>Nemesia strumosa</i>		DA not required
<i>Nigella damascena</i>		DA not required
<i>Ocimum basilicum</i>		DA not required
<i>Origanum majorana</i>		DA not required
<i>Origanum vulgare</i>		DA not required

<i>Papaver nudicaule</i>		DA not required
<i>Papaver orientale</i>		DA not required
<i>Papaver rhoeas</i>		DA not required
<i>Pelargonium hortorum</i>	<i>Rhodococcus fascians</i>	DA5 or DA15
<i>Pentas lanceolata</i>		DA not required
<i>Petroselinum crispum</i>		DA not required
<i>Petunia x atkinsiana</i> = <i>Petunia hybrida</i>	<i>Potato spindle tuber viroid</i> <i>Rhodococcus fascians</i>	DA5 or DA15 DA5 or DA15
<i>Phacelia tanacetifolia</i>		DA not required
<i>Phaseolus vulgaris</i>		DA not required
<i>Phlox drummondii</i>	<i>Ditylenchus dipsaci</i>	DA5 or DA15
<i>Pimpinella anisum</i>		DA not required
<i>Portulaca grandiflora</i>		DA not required
<i>Potentilla nepalensis</i>		DA not required
<i>Primula elatior</i>		DA not required
<i>Primula spp.</i>		DA not required
<i>Primula veris</i>		DA not required
<i>Pyrethrum sp.</i>		DA not required
<i>Ranunculus asiaticus</i>		DA not required
<i>Ranunculus asiaticus</i>		DA not required
<i>Raphanus sativus</i> = <i>Raphanusacanthiformis</i>		DA not required
<i>Rhapis excelsa</i>		DA not required
<i>Rheum rhabonticum</i>		DA not required
<i>Rhipsalidopsis spp.</i>		DA not required
<i>Rosmarinus officinalis</i>		DA not required
<i>Ruta graveolens</i>		DA not required
<i>Salvia farinacea</i>		DA not required
<i>Salvia officinalis</i>		DA not required
<i>Salvia splendens</i>		DA not required
<i>Satureja hortensis</i>		DA not required
<i>Scabiosa atropurpurea</i>		DA not required
<i>Solanum melongena</i>	<i>Pepino mosaic virus</i>	DA5 or DA15
<i>Spathiphyllum sp.</i>		DA not required
<i>Spinacea oleracea</i>	<i>Spinach latent ilarvirus</i>	DA7 or DA15
<i>Strelitzia reginae</i>		DA not required
<i>Tagetes erecta</i>		DA not required
<i>Tagetes patula</i>		DA not required
<i>Tanacetum coccineum</i>		DA not required
<i>Tetragonia tetragonoides</i>		DA not required
<i>Thunbergia alata</i>		DA not required
<i>Thymus vulgaris</i>		DA not required
<i>Tithonia speciosa</i>		DA not required
<i>Tropaeolum majus</i>	<i>Rhodococcus fascians</i>	DA5 or DA15
<i>Venidium fastuosum</i> = <i>Arctotis fastuosa</i>		DA not required

ASSOCIAÇÃO BRASILEIRA DO
COMÉRCIO DE SEMENTES E MUDAS

<i>Verbena hybrida</i>		DA not required
<i>Viola cornuta</i>	<i>Tobacco rattle virus</i>	DA5 or DA15
<i>Viola tricolor</i>	<i>Mycocentrospora acerina</i>	DA5 or DA15
<i>Viola wittrockiana</i>	<i>Mycocentrospora acerina</i>	DA5 or DA15
	<i>Tobacco rattle virus</i>	DA5 or DA15
<i>Xeranthemum annuum</i>		DA not required
<i>Zamia furfuracea</i>		DA not required
<i>Zinnia elegans</i>		DA not required
<i>Zinnia haageana</i>		DA not required
<i>Zinnia hybrida</i>		DA not required

ANNEX XX

Country of Origin: Hungary

Crop Scientific Name	Pest Scientific Name	Requirements
<i>Allium cepa</i>	<i>Ditylenchus dipsaci</i>	DA5 or DA15
<i>Coriandrum sativum</i>		DA not required
<i>Gypsophila elegans</i>		DA not required
<i>Lavandula angustifolia</i>		DA not required
<i>Linaria maroccana</i>		DA not required
<i>Origanum vulgare</i>		DA not required
<i>Phlox drummondii</i>	<i>Ditylenchus dipsaci</i>	DA5 or DA15
<i>Pimpinella anisum</i>		DA not required
<i>Ruta graveolens</i>		DA not required
<i>Salvia officinalis</i>		DA not required

ANNEX XXI

Country of Origin: India

Crop Scientific Name	Pest Scientific Name	Requirements
<i>Abelmoschus esculentus</i>		DA not required
<i>Allium cepa</i>	<i>Ditylenchus dipsaci</i>	DA5 or DA15
<i>Antirrhinum majus</i>		DA not required
<i>Apium graveolens</i>	<i>Strawberry latent ringspot virus</i>	DA7 or DA15
<i>Bellis perennis</i>		DA not required
<i>Capsicum annum</i>		DA not required
<i>Chrysanthemum multicaule</i>	<i>Teretispora leucanthemi</i>	DA5 or DA15
<i>Plectranthus scutellarioides</i> = <i>Coleus blumei</i> = <i>Solenostemon escutellarioides</i> = <i>Coleus hybridus</i>	<i>Coleus blumei viroid 5</i>	DA5 or DA15

<i>Plectranthus scutellarioides</i> = <i>Coleus blumei</i> = <i>Solenostemon escutellarioides</i> = <i>Coleus hybridus</i>		DA not required
<i>Cucurbita máxima</i>		DA not required
<i>Cucurbita maxima x C.moschata</i>		DA not required
<i>Cucurbita moschata</i>		DA not required
<i>Cuminum cyminum</i>		DA not required
<i>Dorotheanthus bellidiformes</i>		DA not required
<i>Gaillardia pulchella</i>		DA not required
<i>Lycopersicon esculentum</i> = <i>Solanum lycopersicon</i>	<i>Potato spindle tuber viroid</i>	DA15
<i>Ocimum basilicum</i>		DA not required
<i>Salvia farinacea</i>		DA not required
<i>Salvia splendens</i>		DA not required
<i>Sesamum indicum</i>	<i>Acarus siro</i>	DA1 or DA2
<i>Solanum melongena</i>	<i>Pepino mosaic virus</i>	DA5 or DA15
<i>Tagetes erecta</i>		DA not required
<i>Tagetes patula</i>		DA not required
<i>Verbena hybrida</i>		DA not required

ANNEX XXII

Country of Origin: Indonesia

Crop Scientific Name	Pest Scientific Name	Requirements
<i>Cycas revoluta</i>		DA not required
<i>Salvia splendens</i>		DA not required

ANNEX XXIII

Country of Origin: Iran

Crop Scientific Name	Pest Scientific Name	Requirements
<i>Cuminum cyminum</i>		DA not required

ANNEX XXIV

Country of Origin: Israel

Crop Scientific Name	Pest Scientific Name	Requirements
<i>Allium cepa</i>	<i>Ditylenchus dipsaci</i>	DA5 or DA15
<i>Cucumis sativus</i>	<i>Cucumber green mottle mosaic virus</i>	DA15
<i>Lycopersicon esculentum</i> = <i>Solanum lycopersicon</i>	<i>Fusarium oxysporum f.sp. radicis-lycopersici</i>	DA5 or DA15
	<i>Pectobacterium zonate spot virus</i>	DA7 or DA15

ANNEX XXV

Country of Origin: Italy

Crop Scientific Name	Pest Scientific Name	Requirements
<i>Allium cepa</i>	<i>Ditylenchus dipsaci</i>	DA5 or DA15
<i>Allium fistulosum</i>		DA not required
<i>Allium porrum</i>		DA not required
<i>Allium schoenoprasum</i>		DA not required
<i>Anethum graveolens</i>	<i>Artichoke yellow ringspot virus</i>	DA5 or DA15
<i>Apium graveolens</i>	<i>Celery latent virus</i>	DA7 or DA15
	<i>Strawberry latent ringspot virus</i>	DA7 or DA15
<i>Beta vulgaris</i>	<i>Arabis mosaic virus</i>	DA7 or DA15
	<i>Ditylenchus dipsaci</i>	DA5 or DA15
	<i>Tomato black ring virus</i>	DA7 or DA15
<i>Beta vulgaris var. cicla</i>	<i>Arabis mosaic virus</i>	DA7 or DA15
	<i>Ditylenchus dipsaci</i>	DA5 or DA15
<i>Brassica campestris var. pekinensis</i>		DA not required
<i>Brassica oleracea var. botrytis</i>		DA not required
<i>Brassica oleracea var. capitata</i>		DA not required
<i>Brassica oleracea var. gemmifera</i>		DA not required
<i>Brassica oleracea var. gongyloides</i>		DA not required
<i>Brassica oleracea var. italicica</i>		DA not required
<i>Brassica rapa</i>		DA not required
<i>Capsicum annuum</i>	<i>Tomato bushy stunt virus</i>	DA5 or DA15
<i>Capsicum frutescens</i>		DA not required
<i>Chrysanthemum leucanthemum</i>		DA not required
<i>Chrysanthemum spp.</i>		DA not required
<i>Cichorium endivia</i>	<i>Chicory yellow mottle virus</i>	DA5 or DA15
<i>Cichorium intybus</i>	<i>Chicory yellow mottle virus</i>	DA5 or DA15
<i>Citrullus lanatus</i>	<i>Cucumber green mottle mosaic virus</i>	DA15
<i>Cucumis melo</i>	<i>Cucumber green mottle mosaic virus</i>	DA15
<i>Cucumis sativus</i>	<i>Cucumber green mottle mosaic virus</i>	DA15
<i>Cucurbita maxima</i>		DA not required
<i>Cucurbita moschata</i>		DA not required
<i>Cucurbita pepo</i>		DA not required
<i>Cynara scolymus</i>	<i>Artichocke italian latent virus</i>	DA7 or DA15
	<i>Artichocke yellow ringspot virus</i>	DA5 or DA15
<i>Daucus carota</i>		DA not required
<i>Dianthus caryophyllus</i>	<i>Pectobacterium rhabontici</i>	DA5 or DA15

ASSOCIAÇÃO BRASILEIRA DO
COMÉRCIO DE SEMENTES E MUDAS

	<i>Rhodococcus fascians</i>	DA5 or DA15
<i>Dimorphotheca sinuata</i>		DA not required
<i>Diplotaxis erucoides</i>		DA not required
<i>Eruca sativa</i>		DA not required
<i>Foeniculum vulgare</i>		DA not required
<i>Lactuca sativa</i>	<i>Arabis mosaic virus</i>	DA7 or DA15
	<i>Tomato black ring virus</i>	DA7 or DA15
<i>Lycopersicon esculentum</i> = <i>Solanum lycopersicum</i>	<i>Pelargonium zonate spot virus</i>	DA15
	<i>Pepino mosaic virus</i>	DA15
	<i>Potato simple tuber viroid</i>	DA15
	<i>Tomato black ring virus</i>	DA15
	<i>Tomato bushy stunt virus</i>	DA5 or DA15
	<i>Tomato ringspot virus</i>	DA15
<i>Mentha piperita</i>		DA not required
<i>Nasturtium officinale</i>		DA not required
<i>Nemesia strumosa</i>		DA not required
<i>Ocimum basilicum</i>		DA not required
<i>Origanum vulgare</i>		DA not required
<i>Petroselinum crispum</i>		DA not required
<i>Phaseolus vulgaris</i>		DA not required
<i>Pimpinella anisum</i>		DA not required
<i>Raphanus sativus</i>		DA not required
<i>Ruta graveolens</i>		DA not required
<i>Spinacea oleracea</i>		DA not required
<i>Tetragonia tetragonoides</i>		DA not required
<i>Vicia faba</i>	<i>Artichoke yellow ringspot virus</i>	DA5 or DA15
	<i>Botrytis fabae</i>	DA5 or DA15
	<i>Broad bean wilt virus</i>	DA5 or DA15
	<i>Ditylenchus dipsaci</i>	DA5 or DA15
	<i>Pea early browning virus</i>	DA5 or DA15
	<i>Peronospora viciae</i>	DA5 or DA15
	<i>Red clover vein mosaic virus</i>	DA5 or DA15
	<i>Sitophilus granarius</i>	DA1 or DA2

ANNEX XXVI

Country of Origin: Japan

Crop Scientific Name	Pest Scientific Name	Requirements
<i>Abelmoschus esculentus</i>		DA not required
<i>Ageratum houstonianum</i> = <i>Ageratum mexicanum</i>		DA not required
<i>Allium cepa</i>	<i>Ditylenchus dipsaci</i>	DA5 or DA15
<i>Allium fistulosum</i>		DA not required
<i>Allium tuberosum</i>		DA not required
<i>Antirrhinum majus</i>		DA not required
<i>Apium graveolens</i>		DA not required

<i>Arctium lappa</i>		DA not required
<i>Asparagus officinalis</i>	<i>Asparagus virus 2</i>	DA5 or DA15
<i>Bellis perennis</i>		DA not required
<i>Beta vulgaris</i>	<i>Arabis mosaic virus</i>	Da7 or DA15
	<i>Ditylenchus dipsaci</i>	DA5 or DA15
	<i>Tomato black ring virus</i>	DA7 or DA15
<i>Brassica campestris var. chinensis</i>		DA not required
<i>Brassica campestris var. pekinensis</i>		DA not required
<i>Brassica juncea</i>		DA not required
<i>Brassica oleracea var. acephala</i>		DA not required
<i>Brassica oleracea var. botrytis</i>		DA not required
<i>Brassica oleracea var. capitata</i>		DA not required
<i>Brassica oleracea var. gemmifera</i>		DA not required
<i>Brassica oleracea var. gongyloides</i>		DA not required
<i>Brassica oleracea var. italic</i>		DA not required
<i>Brassica rapa</i>		DA not required
<i>Browallia speciosa</i>		DA not required
<i>Calceolaria x herbeohybrida</i>		DA not required
<i>Calendula officinalis</i>		DA not required
<i>Callistephus chinensis</i>		DA not required
<i>Campanula médium</i>		DA not required
<i>Canna indica</i>		DA not required
<i>Capsicum annuum</i>		DA not required
<i>Capsicum frutescens</i>		DA not required
<i>Carica papaya</i>		DA not required
<i>Carthamus tinctorius</i>		DA not required
<i>Catharanthus roseus</i>		DA not required
<i>Celosia argentea = Celosia cristata = Celosia plumosa</i>		DA not required
<i>Chrysanthemum morifolium</i>		DA not required
<i>Cineraria cruenta</i>		DA not required
<i>Citrullus lanatus</i>	<i>Cucumber green mottle mosaic virus</i>	DA15
<i>Plectranthus scutellarioides = Coleus blumei = Solenostemon</i>		DA not required

<i>escutellarioides</i> = <i>Coleus hybridus</i>		
<i>Cosmos bipinnatus</i>		DA not required
<i>Cucumis melo</i>	<i>Cucumber green mottle mosaic virus</i>	DA15
<i>Cucumis melo</i>	<i>Ditylenchus Dipsaci</i>	DA5 ou DA15
<i>Cucumis sativus</i>	<i>Cucumber green mottle mosaic virus</i>	DA15
<i>Cucurbita máxima</i>		DA not required
<i>Cucurbita maxima x C.moschata</i>		DA not required
<i>Cucurbita moschata</i>		DA not required
<i>Cycas revoluta</i>		DA not required
<i>Cyclamen persicum</i>		DA not required
<i>Dahlia pinnata</i> = <i>Dahlia variabilis</i>		DA not required
<i>Daucus carota</i>		DA not required
<i>Dianthus caryophyllus</i>	<i>Pectobacterium rhabontici</i>	DA5 or DA15
<i>Dianthus chinensis</i>	<i>Pectobacterium rhabontici</i>	DA5 or DA15
<i>Eustoma grandiflorum</i>		DA not required
<i>Exacum affine</i>		DA not required
<i>Godetia grandiflora</i> = <i>Gotedia amoena</i> = <i>Clarkia amoena</i>		DA not required
<i>Gomphrena globosa</i>		DA not required
<i>Hibiscus moscheutos</i>		DA not required
<i>Impatiens walleriana</i>		DA not required
<i>Lactuca sativa</i>	<i>Arabis mosaic virus</i>	DA7 or DA15
	<i>Tomato black ring virus</i>	DA7 or DA15
<i>Lagenaria siceraria</i>	<i>Cucumber green mottle mosaic virus</i>	DA5 or DA15
	<i>Fusarium oxysporum f. sp. lagenariae</i>	DA5 or DA15
<i>Limonium sinuatum</i>		DA not required
<i>Lobelia erinus</i>		DA not required
<i>Lobularia maritima</i> = <i>Alysson maritimum</i>		DA not required
<i>Lycopersicon esculentum</i> = <i>Solanum lycopersicon</i>	<i>Fusarium oxysporum f.sp. radicis-lycopersici</i>	DA5 or DA15
	<i>Potato spindle tuber viroid</i>	DA15
	<i>Tomato black ring virus</i>	DA15
	<i>Tomato ringspot virus</i>	DA15
<i>Matthiola incana</i>		DA not required
<i>Mimulus x hybridus</i>		DA not required
<i>Momordica charantia</i>	<i>Cucumber green mottle mosaic virus</i>	DA5 or DA15
<i>Osteospermum ecklonis</i>		DA not required
<i>Perilla frutescens</i>		DA not required
<i>Petunia grandiflora</i>		DA not required
<i>Petunia x atkinsiana</i> =	<i>Asparagus virus 2</i>	DA5 or DA15

ASSOCIAÇÃO BRASILEIRA DO
COMÉRCIO DE SEMENTES E MUDAS

<i>Petunia x hybrida</i>	<i>Potato spindle tuber viroid</i>	DA5 or DA15
<i>Phlox drummondii</i>	<i>Ditylenchus dipsaci</i>	DA5 or DA15
<i>Platycodon grandiflorus</i>		DA not required
<i>Primula acaulis</i> = <i>Primula vulgaris</i>		DA not required
<i>Primula elatior</i>		DA not required
<i>Ranunculus asiaticus</i>		DA not required
<i>Raphanus sativus</i> = <i>Raphanus acanthiformis</i>		DA not required
<i>Rudbeckia sp.</i>		DA not required
<i>Salvia splendens</i>		DA not required
<i>Sinningia speciosa</i>		DA not required
<i>Solanum melongena</i>		DA not required
<i>Spinacea oleracea</i>		DA not required
<i>Tagetes patula</i>		DA not required
<i>Torenia fournieri</i>		DA not required
<i>Viola cornuta</i>		DA not required
<i>Viola tricolor</i>	<i>Mycocentrospora acerina</i>	DA5 or DA15
<i>Viola wittrockiana</i>	<i>Mycocentrospora acerina</i>	DA5 or DA15
<i>Zinnia elegans</i>		DA not required
<i>Zinnia hybrida</i>		DA not required

ANNEX XXVII

Country of Origin: Laos

Crop Scientific Name	Pest Scientific Name	Requirements
<i>Cucumis melo</i>		DA not required

ANNEX XXVIII

Country of Origin: Madagascar

Crop Scientific Name	Pest Scientific Name	Requirements
<i>Bismarckia nobilis</i>		DA not required
<i>Dypsis leptocheilos</i>		DA not required

ANNEX XXIX

Country of Origin: Malta

Crop Scientific Name	Pest Scientific Name	Requirements
<i>Dianthus caryophyllus</i>		DA not required
<i>Limonium sinuatum</i>		DA not required
<i>Lobelia erinus</i>		DA not required

ANNEX XXX

Country of Origin: Mexico

Crop Scientific Name	Pest Scientific Name	Requirements
<i>Allium cepa</i>	<i>Ditylenchus dipsaci</i>	DA5 or DA15
<i>Beaucarnea recurvata</i>		DA not required
<i>Brachiaria brizantha</i>		DA not required
<i>Brassica campestris var. pekinensis</i>		DA not required
<i>Brassica oleracea var. botrytis</i>		DA not required
<i>Brassica oleracea var. capitata</i>		DA not required
<i>Brassica oleracea var. italica</i>		DA not required
<i>Capsicum annuum</i>		DA not required
<i>Capsicum frutescens</i>		DA not required
<i>Chamaedorea elegans</i>		DA not required
<i>Chamaedorea Metallica</i>		DA not required
<i>Chamaedorea microspadix</i>		DA not required
<i>Chamaedorea seifrizii</i>		DA not required
<i>Cichorium endivia</i>		DA not required
<i>Cichorium intybus</i>		DA not required
<i>Citrullus lanatus</i>		DA not required
<i>Cucumis melo</i>		DA not required
<i>Foeniculum vulgare</i>		DA not required
<i>Glycine max</i>	<i>Arabis mosaic virus</i>	DA7 or DA15
	<i>Tomato ringspot virus</i>	DA15
<i>Lycopersicon esculentum</i>	<i>Pepino mosaic virus</i>	DA15
	<i>Potato spindle tuber viroid</i>	DA15
	<i>Tomato ringspot virus</i>	DA15
<i>Zamia furfuracea</i>		DA not required
<i>Zea mays</i>	<i>Pantoea stewartii</i>	DA5 or DA15
	<i>Prostephanus truncatus</i>	DA1 or DA2
	<i>Sitophilus granarius</i>	DA1 or DA2
	<i>Trogoderma variabile</i>	DA1 or DA2

ANNEX XXXI

Country of Origin: New Zealand

Crop Scientific Name	Pest Scientific Name	Requirements
<i>Beta vulgaris</i>	<i>Arabis mosaic virus</i>	DA7 or DA15
	<i>Ditylenchus dipsaci</i>	DA5 or DA15
<i>Dactylis glomerata</i>	<i>Anguina agrostis</i>	DA5 or DA15
<i>Daucus carota</i>		DA not required
<i>Festuca arundinacea</i>	<i>Gloeotinia granigena</i>	DA5 or DA15
<i>Lolium multiflorum</i>	<i>Xanthomonas translucens pv. graminis</i>	DA5 or DA15

ASSOCIAÇÃO BRASILEIRA DO
COMÉRCIO DE SEMENTES E MUDAS

<i>Origanum vulgare</i>		DA not required
<i>Petunia x atkinsiana</i> x <i>Petunia x hybrida</i>	<i>Rhodococcus fascians</i>	DA5 or DA15
<i>Raphanus sativus</i> = <i>Raphanus acanthiformis</i>		DA not required
<i>Thymus vulgaris</i>		DA not required

ANNEX XXXII

Country of Origin: Paraguay

Crop Scientific Name	Pest Scientific Name	Requirements
<i>Sesamum indicum</i>		DA not required

ANNEX XXXIII

Country of Origin: Peru

Crop Scientific Name	Pest Scientific Name	Requirements
<i>Citrullus lanatus</i>		DA not required
<i>Cucumis melo</i>		DA not required
<i>Cucurbita pepo</i>		DA not required
<i>Lactuca sativa</i>		DA not required
<i>Pueraria phaseoloides</i>		DA not required

ANNEX XXXIV

Country of Origin: Poland

Crop Scientific Name	Pest Scientific Name	Requirements
<i>Campanula medium</i>		DA not required
<i>Chrysanthemum multicaule</i>		DA not required
<i>Eschscholzia californica</i>		DA not required
<i>Godetia grandiflora</i> = <i>Godetia amoena</i> = <i>Clarkia amoena</i>		DA not required
<i>Hypericum perforatum</i>		DA not required
<i>Nemesia strumosa</i>		DA not required
<i>Phacelia tanacetifolia</i>		DA not required
<i>Primula elatior</i>		DA not required
<i>Primula veris</i>		DA not required
<i>Ruta graveolens</i>		DA not required

ANNEX XXXV

Country of Origin: Portugal

Crop Scientific Name	Pest Scientific Name	Requirements
<i>Chamaerops humilis</i>		DA not required
<i>Lycopersicon esculentum</i>	<i>Tomato bushy stunt virus</i>	DA5 or DA15

= <i>Solanum lycopersicon</i>		
-------------------------------	--	--

ANNEX XXXVI

Country of Origin: United Kingdom

Crop Scientific Name	Pest Scientific Name	Requirements
<i>Allium cepa</i>	<i>Ditylenchus dipsaci</i>	DA5 or DA15
<i>Allium porrum</i>		DA not required
<i>Arctium lappa</i>		DA not required
<i>Brassica campestris</i> var. <i>pekinensis</i>		DA not required
<i>Brassica oleracea</i> var. <i>botrytis</i>		DA not required
<i>Brassica oleracea</i> var. <i>capitata</i>		DA not required
<i>Brassica oleracea</i> var. <i>italica</i>		DA not required
<i>Cichorium endivia</i>		DA not required
<i>Cichorium intybus</i>		DA not required
<i>Foeniculum vulgare</i>		DA not required
<i>Lycopersicon esculentum</i> = <i>Solanum lycopersicon</i>	<i>Pepino mosaic virus</i>	DA15
	<i>Potato spindle tuber viroid</i>	DA15
	<i>Tomato black ring virus</i>	DA15
	<i>Tomato bushy stunt virus</i>	DA5 or DA15
	<i>Tomato ringspot virus</i>	DA15
<i>Raphanus sativus</i> = <i>Raphanus acanthiformis</i>		DA not required

ANNEX XXXVII

Country of Origin: Serbia

Crop Scientific Name	Pest Scientific Name	Requirements
<i>Godetia grandiflora</i> = <i>Godetia amoena</i> = <i>Clarkia amoena</i>		DA not required
<i>Salvia officinalis</i>		DA not required

ANNEX XXXVIII

Country of Origin: Syria

Crop Scientific Name	Pest Scientific Name	Requirements
<i>Cuminum cyminum</i>		DA not required

ANNEX XXXIX

Country of Origin: Sweden

Crop Scientific Name	Pest Scientific Name	Requirements
----------------------	----------------------	--------------

<i>Arctium lappa</i>	DA not required
----------------------	-----------------

ANNEX XL

Country of Origin: Thailand

Crop Scientific Name	Pest Scientific Name	Requirements
<i>Brassica oleracea var. botrytis</i>		DA not required
<i>Capsicum annuum</i>		DA not required
<i>Citrullus lanatus</i>		DA not required
<i>Cucumis melo</i>		DA not required
<i>Cucurbita pepo</i>		DA not required
<i>Lactuca sativa</i>		DA not required
<i>Lycopersicon esculentum</i> = <i>Solanum lycopersicon</i>		DA not required

ANNEX XLI

Country of Origin: Taiwan

Crop Scientific Name	Pest Scientific Name	Requirements
<i>Carica papaya</i>		DA not required
<i>Lycopersicon esculentum</i> = <i>Solanum lycopersicon</i>		DA not required
<i>Salvia splendens</i>		DA not required
<i>Solanum melongena</i>		DA not required

ANNEX XLII

Country of Origin: Tanzania

Crop Scientific Name	Pest Scientific Name	Requirements
<i>Celosia argentea</i> = <i>Celosia cristata</i> = <i>Celosia plumosa</i>		DA not required
<i>Cosmos bipinnatus</i>		DA not required
<i>Cucumis melo</i>		DA not required
<i>Dimorphotheca sinuata</i>		DA not required
<i>Impatiens balsamina</i>		DA not required
<i>Lactuca sativa</i>		DA not required
<i>Phaseolus vulgaris</i>	<i>Peanut mottle virus</i>	DA5 or DA15
	<i>Prostephanus truncatus</i>	DA1 or DA2
<i>Salvia farinacea</i>		DA not required
<i>Tagetes pátula</i>		DA not required
<i>Tropaeolum majus</i>		DA not required
<i>Zinnia elegans</i>		DA not required

ANNEX XLIII

Country of Origin: Turkey

Crop Scientific Name	Pest Scientific Name	Requirements
<i>Allium cepa</i>	<i>Ditylenchus dipsaci</i>	DA5 or DA15
<i>Cucumis melo</i>	<i>Cucumber green mottle mosaic virus</i>	DA15
<i>Cuminum cyminum</i>		DA not required
<i>Salvia officinalis</i>		DA not required

ANNEX XLIV

Country of Origin: Uruguay

Crop Scientific Name	Pest Scientific Name	Requirements
<i>Festuca arundinacea</i>		DA not required

ANNEX XLV

Country of Origin: Vietnam

Crop Scientific Name	Pest Scientific Name	Requirements
<i>Capsicum annuum</i>		DA not required
<i>Capsicum frutescens</i>		DA not required
<i>Cucumis melo</i>		DA not required

ANNEX XLVI

Country of Origin: Zambia

Crop Scientific Name	Pest Scientific Name	Requirements
<i>Zinnia elegans</i>		DA not required

ANNEX XLVII

Country of Origin: Zimbabwe

Crop Scientific Name	Pest Scientific Name	Requirements
<i>Celosia argentea</i> = <i>Celosia cristata</i> = <i>Celosia plumosa</i>		DA not required
<i>Cosmos bipinnatus</i>		DA not required
<i>Dimorphotheca sinuata</i>		DA not required
<i>Eschscholzia californica</i>		DA not required
<i>Salvia farinacea</i>		DA not required
<i>Tagetes patula</i>		DA not required
<i>Tropaeolum majus</i>		DA not required

ANNEX XLVIII

Annex XLVIII - Weeds

Pest	Country	Additional Declaration (DA)
<i>Orobanche</i> spp.	USA, Australia, India, South Africa, Germany, Netherlands, Spain, Mexico, Turkey, France, Hungary, Israel, Italy, United Kingdom, China, Chile, Portugal, New Zealand, Denmark, Tanzania, Egypt and Greece.	DA5 or DA7 or DA15
<i>Striga</i> spp.	China, India, Vietnam, Soth Africa, Japan, Philippines, USA and Australia.	DA5 or DA7 or DA15